

IN THE CLAIMS:

1. (Original) A push-type dispensing device, comprising:

an outer casing having a barrel shape which is opened at upper and lower ends

thereof and has a predetermined length;

a nozzle cap having a hollow cone shape, and being fastened to a lower end of the outer casing, with an orifice formed at a center of the nozzle cap;

an inner casing housed in the outer casing, containing contents, such as cosmetics, and moving up and down by a predetermined distance;

a button coupled to an upper end of the inner casing to protrude upwards from the outer casing by a predetermined height, and actuated to move the inner casing downwards;

a dispenser coupled to a lower end of the inner casing, with a pump stem being provided on the dispenser such that a lower end of the pump stem is in close contact with the orifice, the dispenser dispensing a prescribed amount of contents by a pumping action of the pump stem and a piston;

an elastic spring interposed between a cylinder cap and the nozzle cap while surrounding the pump stem of the dispenser, and restoring the inner casing to an original position thereof using elasticity of the elastic spring when the inner casing has moved downwards; and

a plunger provided in the inner casing to be in close contact with an inner

surface of the inner casing, and pushing the contents toward the dispenser when the prescribed amount of contents is dispensed.

2. (Original) The push-type dispensing device according to claim 1, wherein a guide groove having a predetermined vertical length is provided on an inner circumferential surface of an upper portion of the outer casing, and a guide protrusion is provided around a lower end of the button to correspond to the guide groove, thus, in cooperation with the guide groove, limiting vertical movement of the inner casing.

3. (Currently Amended) The push-type dispensing device according to claim 1 ~~or~~ 2, further comprising:

a stand, comprising:

a seating recess defined in a center of the stand so that the nozzle cap is tightly inserted into the seating recess, thus safely supporting and standing in the dispensing device;

a support step provided along an upper end of the seating recess so that an outer circumference of an upper end of the outer casing is seated on the support step, thus supporting the dispensing device; and

a support piece extending upwards from an outer edge of the support step to a predetermined height, and supporting an outer circumferential surface of the standing dispensing device.

4. (New) The push-type dispensing device according to claim 2, further comprising:

a stand, comprising:

a seating recess defined in a center of the stand so that the nozzle cap is tightly inserted into the seating recess, thus safely supporting and standing in the dispensing device;

a support step provided along an upper end of the seating recess so that an outer circumference of an upper end of the outer casing is seated on the support step, thus supporting the dispensing device; and

a support piece extending upwards from an outer edge of the support step to a predetermined height, and supporting an outer circumferential surface of the standing dispensing device.